# PINNACLE LED V2 CEILING FAN





White with White Blade

#### **Installation Locations:**

Coastal, indoor and outdoor locations. The fan is also suitable for installation in a pergola or outside in a sheltered area, protected from wind

#### **Recommended Height:**

There should be at least 2.1m between the lowest point of the fan blades and the floor.

#### Motor:

156mm x 10mm DC motor

Made with high grade copper windings and silicone steel stator. Bearings are sealed to ensure quiet operation and long life.

#### **Top Canopy & Downrod:**

Materials: Aluminium

#### **Product Range:**

PL2205 - White with White Blades

### Blades:

Sizes: 1320mm (52")

Materials: ABS Polymer, UV stabilised

Blade Pitch: 12°

### **Extra Information:**

Introduced into the HPI range in 2022

Quick Connect Blade System

9 Speed remote controller + 9 Speed DC Wall Controller

Reversible

### Airflow CMH:

14,000 on High Speed (Speed 9)

#### Warranty\*:

2 years in-home warranty on all electric components (control modules, remote control system, lighting and accessory wall control)

3 years standard "in home" warranty

3 years extended warranty on motor only (excluding labour)

\*For full warranty details please see Hunter Pacific International's website www.hunterpacific.com.au

**Standard Canopy Cover:** 

Suitable for flat ceilings only. An accessory 38 Degree Canopy Kit can be purchased separately for installation on raked ceiling up to 38°.

#### **Light Fitting:**

18W CCT LED light (dimmable)

# **Colour Temperatures:**

3000K, 4000K and 6000K

#### Weight Including Packaging:

Complete fan: 9.8kg

## Packaging Dimensions (cm):

Complete Fan: 61.5L x 29W x 31.5H

# Accessories (Supplied separately):

THD Down Rod 26mm diameter (includes wire

harness)

DC2460 - 91cm White Downrod DC2467 - 180cm White Downrod

# 38° Ceiling Kit (for pitched ceilings)

080 - Ceiling Kit White 38°

009 - T-Hook for ceiling roses

DCWC240 - 240V DC Wall Controller

WIFIM099 - Smart WiFi Module

PIXIE098 - Pixie HPI Ceiling Fan Module

	Speed 1	Speed 2	Speed 3	Speed 4	Speed 5	Speed 6	Speed 7	Speed 8	Speed 9
RPMS	73	92	148	160	175	190	200	210	215
WATTS	2.8	3.8	9.5	12.4	15.4	17.8	21.3	22.8	25.4

